

Versior 4.3	Revision Date: 04/10/2024		DS Number: 0000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016						
SECTIO	SECTION 1. IDENTIFICATION									
Pr	oduct name	:	CB BLUE MAX 4/	/1 GA						
Pre	oduct code	:	CBOOE004-03							
	Manufacturer or supplier's of Company name of supplier			LC						
	Address		720 Vaiden Drive, Hernando, MS 38632							
En	Email Address		EHS@niteoproducts.com							
Те	Telephone		1-844-696-4836							
	Emergency telephone num- ber		1-800-424-9300 / 1-703-741-5970							
	commended use of the o		nical and restriction	ons on use						
Re	strictions on use	:	Use only outdoors	s or in a well-ventilated area.						

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
Skin corrosion	:	Category 1C				
Serious eye damage	:	Category 1				
GHS label elements Hazard pictograms	:					
Signal word	:	Danger				
Hazard statements	:	Causes severe skin burns and eye damage.				
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:				



ersion 3	Revision Date: 04/10/2024	SDS Number: 60000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016			
		IF ON SKIN (o clothing. Rinse IF INHALED: R for breathing. I IF IN EYES: Ri Remove contac rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/ shower. Remove person to fresh air and keep comfortable mmediately call a POISON CENTER/ doctor. Inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue iately call a POISON CENTER/ doctor. nated clothing before reuse.			
		Storage:				
		Store locked up	p.			
		Disposal:				
		Dispose of contents/ container to an approved waste dispose plant.				
Othe	r hazards					
	known.					

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous components

CAS-No.	Concentration (% w/w)
27177-77-1	>= 1 - < 5
10101-89-0	>= 1 - < 5
111-76-2	>= 1 - < 5
1300-72-7	>= 1 - < 5
	27177-77-1 10101-89-0 111-76-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty



Version 4.3	Revision Date: 04/10/2024		DS Number: 0000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016			
			Remove contact I Protect unharmed Keep eye wide op	eyes during transport to hospital. enses. d eye.			
lf sw	vallowed	:	Never give anythi If symptoms pers				
and	Most important symptoms and effects, both acute and delayed		: Causes serious eye damage. Causes severe burns.				
Note	Notes to physician		Treat symptomatically.				
SECTION	N 5. FIREFIGHTING MEA	SU	RES				
Uns med	uitable extinguishing lia	:	High volume wate	er jet			
	Specific hazards during fire- fighting					off from fire fighting to enter drains or water	
Haz ucts	ardous combustion prod-	:	Carbon oxides Sulphur oxides Sodium oxides Oxides of phosph	orus			
Furt	her information	:	must not be disch	ated fire extinguishing water separately. This arged into drains.			

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for	:	Neutralise with acid.



Vers 4.3	sion	Revision Date: 04/10/2024		OS Number: 0000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016			
	containment and cleaning up acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.							
SEC	SECTION 7. HANDLING AND STORAGE							
Advice on protection against fire and explosion		:	Normal measures for preventive fire protection.					
	Advice	on safe handling	:	Smoking, eating a plication area. To avoid spills du				
	Conditi	ons for safe storage	:	place. Containers which kept upright to pre Observe label pre	cautions. ons / working materials must comply with			
	Furthei age sta	r information on stor- ability	:	No decompositior	if stored and applied as directed.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Trisodium phosphate dodeca- hydrated	10101-89-0	STEL	5 mg/m3	US WEEL
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as	200 mg/g Creatinine	ACGIH BEI



Versi 4.3	ion	Revision Date: 04/10/2024		0S Number: 0000000737	Date of last issue: 0 Date of first issue: 0	
					possible after exposu ceases)	e
	Person	al protective equipm	ent			
	Respira	tory protection	:	In the case of vap proved filter.	our formation use a r	espirator with an ap-
	Hand pr	rotection				
	Rem	arks	:		a specific workplace of the protective glo	should be discussed ves.
	Eye pro	tection	:	Eye wash bottle w Tightly fitting safe Wear face-shield problems.	y goggles	r abnormal processing
:	Skin and	d body protection	:	Impervious clothin Choose body prot centration of the c	g ection according to tl angerous substance	ne amount and con- at the work place.
	Protecti	ve measures	:		t eat, drink or smoke ves and eye/face pro	
	Hygiene	e measures	:	When using do no When using do no Wash hands befo		end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	blue
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	12.5 - 13.5
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	100 °C (1,013 hPa) The value is calculated
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available



Ver 4.3	sion	Revision Date: 04/10/2024		S Number: 0000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
		explosion limit / Upper ability limit	:	10.6 %(V) The value is calc	ulated
		explosion limit / Lower ability limit	:	1.1 %(V) The value is calc	ulated
	Vapour	pressure	:	23.33 hPa (20 °C The value is calc	
	Relativ	e vapour density	:	No data available)
	Density		:	1.055 g/cm3	
	Solubility(ies) Water solubility		:	No data available	9
	Partition coefficient: n- octanol/water		:	No data available	
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	No data available	
	Molecu	ılar weight	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity		No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Acids Aluminium Amines Ammonia Bases chlorates Chlorine Organic materials Oxidizing agents Reducing agents salts of strong bases Not applicable



Version 4.3	Revision Date: 04/10/2024	SDS Number: 600000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
Hazaı produ	dous decomposition cts	: Carbon oxio Oxides of p Sodium oxio Sulphur oxio	hosphorus des
SECTION	11. TOXICOLOGICAI	INFORMATION	
Inhala Skin o	contact ontact	es of exposure	
	e toxicity	ilable information	
Not ci Produ	assified based on ava	nable information.	
	oral toxicity		y estimate: > 5,000 mg/kg culation method
Acute	inhalation toxicity	Exposure tin Test atmosp	y estimate: > 200 mg/l ne: 4 h here: vapour culation method
Acute	dermal toxicity		y estimate: > 5,000 mg/kg culation method
Com	oonents:		
Potas	sium dodecylbenzer	ne sulfonate:	
Acute	oral toxicity		1,080 - 1,980 mg/kg formation given is based on data obtained from ances.
Acute	dermal toxicity		it): > 2,000 mg/kg formation given is based on data obtained from ances.
Triso	dium phosphate dod	ecahydrated:	
Acute	oral toxicity	: LD50 (Rat):	> 2,000 mg/kg
Acute	inhalation toxicity		ne: 4 h here: dust/mist : No adverse effect has been observed in acute
Acute	dermal toxicity		> 2,000 mg/kg : No adverse effect has been observed in acute ity tests.



Versi 4.3	ion	Revision Date: 04/10/2024		DS Number: 00000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
	2-Buto	oxyethanol:			
	Acute	oral toxicity	:	LD50 (Guinea pig	j): 1,200 mg/kg
	Acute i	inhalation toxicity	:	LC50 (Guinea pig Exposure time: 1 Test atmosphere Assessment: The short term inhalat	h dust/mist component/mixture is moderately toxic after
	Acute	dermal toxicity	:	LD50 (Guinea pig Assessment: The single contact wit	component/mixture is moderately toxic after
:	Sodiu	m Xylene Sulfonate:			
	Acute	oral toxicity	:	LD50 (Rat): > 7,0 Method: OECD T	00 mg/kg est Guideline 401
	Acute	dermal toxicity	:		est Guideline 402 adverse effect has been observed in acute

Skin corrosion/irritation

Causes severe burns.

Product:

Method: OECD Test Guideline 435 Result: Corrosive after 1 to 4 hours of exposure

Remarks: Extremely corrosive and destructive to tissue.

Components:

Potassium dodecylbenzene sulfonate:

Result: Corrosive after 1 to 4 hours of exposure Remarks: Information given is based on data obtained from similar substances.

Trisodium phosphate dodecahydrated:

Result: Irritating to skin.

2-Butoxyethanol:

Method: Directive 67/548/EEC, Annex V, B.4. Result: Irritating to skin.

Sodium Xylene Sulfonate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Mild skin irritation Remarks: Information given is based on data obtained from similar substances.



Version	Revision Date:	SDS Number:
4.3	04/10/2024	6000000737

Date of last issue: 04/09/2024 Date of first issue: 05/23/2016

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Potassium dodecylbenzene sulfonate:

Result: Corrosive Method: OECD Test Guideline 405 Remarks: Information given is based on data obtained from similar substances.

Trisodium phosphate dodecahydrated:

Result: Irritating to eyes.

2-Butoxyethanol:

Result: Irritating to eyes. Method: OECD Test Guideline 405

Sodium Xylene Sulfonate:

Species: Rabbit Result: Irritation to eyes, reversing within 7 days Method: OECD Test Guideline 405 GLP: yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Potassium dodecylbenzene sulfonate:

Exposure routes: Dermal Species: Humans Assessment: Does not cause skin sensitisation. Remarks: Information given is based on data obtained from similar substances.

Trisodium phosphate dodecahydrated:

Result: Not a skin sensitizer. Remarks: Information given is based on data obtained from similar substances.

2-Butoxyethanol:

Species: Guinea pig Method: OECD Test Guideline 406 Result: Not a skin sensitizer.



Version	Revision Date:	SDS Number:
4.3	04/10/2024	60000000737

Date of last issue: 04/09/2024 Date of first issue: 05/23/2016

Sodium Xylene Sulfonate:

Test Type: Buehler Test Exposure routes: Dermal Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation. GLP: yes

Germ cell mutagenicity

Not classified based on available information.

Components:

Potassium dodecylbenzene sulfonate:

i otassium douceyibenzene	Schonate.
Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative Remarks: Information given is based on data obtained from similar substances.
2-Butoxyethanol:	
Genotoxicity in vitro	 Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
Carcinogenicity	
Not classified based on availab	ble information.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

Reproductive toxicity

Not classified based on available information.

by NTP.

STOT - single exposure

Not classified based on available information.

Components:

Trisodium phosphate dodecahydrated:

Exposure routes: Inhalation Target Organs: Respiratory Tract Assessment: May cause respiratory irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2024
4.3	04/10/2024	60000000737	Date of first issue: 05/23/2016

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

IONIONY		
Additional ecological	: An environmental hazard cannot be exclude	led in the event of
information	unprofessional handling or disposal.	
	Harmful to aquatic life with long lasting effe	ects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR		
UN/ID No.	:	UN 1719
Proper shipping name	:	Caustic alkali liquid, n.o.s. (Potassium dodecylbenzene sulfonate)
Class	:	8
Packing group	:	III
Labels	:	8
Packing instruction (cargo aircraft)	:	856
Packing instruction (passenger aircraft)	:	852



Versior 4.3	Revision Date: 04/10/2024	SDS Number: 600000000737	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016		
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant Transport in bulk accordin Not applicable for product a National Regulations		(Potassium : 8 : III : 8 : F-A, S-B : no ling to Annex II of M	 CAUSTIC ALKALI LIQUID, N.O.S. (Potassium dodecylbenzene sulfonate) 8 III 8 F-A, S-B no g to Annex II of MARPOL 73/78 and the IBC Code 		
UN Pr Cli Pa La EF	CFR I/ID/NA number oper shipping name ass cking group bels RG Code arine pollutant		li liquids, n.o.s. dodecylbenzene sulfonate)		

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Trisodium phosphate dodecahy- drated	10101-89-0	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Skin corrosion or irritation Serious eye damage or eye irritation		
SARA 313 :	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		
	2-Butoxyethanol	111-76-2	>= 1 - < 5 %
	Diethylene glycol mono- butyl ether	112-34-5	>= 0.1 - < 1 %




Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2024
4.3	04/10/2024	60000000737	Date of first issue: 05/23/2016

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION



Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN