

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

### SECTION 1. IDENTIFICATION

Product name : CB BUTTER WAX 4/1 GA- NEW  
Product code : CBOOA007I03

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : 720 Vaiden Drive, Hernando, MS 38632  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : WAX  
Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4  
Eye irritation : Category 2B

#### GHS label elements

Signal word : Warning  
Hazard statements : Combustible liquid.  
Causes eye irritation.

Precautionary statements : **Prevention:**  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Wash skin thoroughly after handling.  
Wear protective gloves/ eye protection/ face protection.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.

## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
 Date of first issue: 08/22/2017

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum)	64742-48-9	>= 10 - < 20
Solvent naphtha (petroleum)	64742-96-7	>= 5 - < 10
Any concentration shown as a range is to protect confidentiality or is due to batch variation.		
Naphtha (petroleum)	64742-48-9	>= 10 - < 20
Solvent naphtha (petroleum)	64742-96-7	>= 5 - < 10

### SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
 If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
 Remove contaminated clothing. If irritation develops, get medical attention.  
 If on skin, rinse well with water.  
 Wash contaminated clothing before re-use.  
 If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
 Remove contact lenses.  
 Protect unharmed eye.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and : Causes eye irritation.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

delayed

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Aldehydes
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
 Date of first issue: 08/22/2017

- Advice on protection against fire and explosion : Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.  
 Keep away from open flames, hot surfaces and sources of ignition.  
 Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Avoid formation of aerosol.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Avoid contact with skin and eyes.  
 Dispose of rinse water in accordance with local and national regulations.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum)	64742-48-9	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
Solvent naphtha (petroleum)	64742-96-7	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Hand protection

- Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

- Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : cream
- Colour : yellow
- Odour : fruity
- Odour Threshold : not determined
- pH : 8 - 9
- Melting point/freezing point : not determined
- Boiling point/boiling range : not determined
- Flash point : > 61 °C
- Evaporation rate : not determined
- Flammability (solid, gas) : No data available
- Self-ignition : not determined
- Upper explosion limit / Upper flammability limit : not determined
- Lower explosion limit / Lower flammability limit : not determined
- Vapour pressure : not determined
- Relative vapour density : not determined
- Density : not determined
- Solubility(ies)  
Water solubility : not determined
- Partition coefficient: n-octanol/water : not determined

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2024
2.3	04/10/2024	600000001078	Date of first issue: 08/22/2017

---

Decomposition temperature : not determined

Viscosity  
Viscosity, dynamic : not determined

Viscosity, kinematic : > 7000 mm<sup>2</sup>/s (40 °C)

Molecular weight : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : Carbon oxides

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Eye contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Components:****Naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Solvent naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.  
Remarks: No mortality observed at this dose.

---

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.  
Remarks: No mortality observed at this dose.

**Naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Solvent naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.  
Remarks: No mortality observed at this dose.

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks: May irritate skin.

**Components:****Naphtha (petroleum):**

Result: Mild skin irritation

**Solvent naphtha (petroleum):**

Species: Rabbit

Result: Irritating to skin.

**Naphtha (petroleum):**

Result: Mild skin irritation

**Solvent naphtha (petroleum):**

Species: Rabbit

Result: Irritating to skin.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

### **Serious eye damage/eye irritation**

Causes eye irritation.

#### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

##### **Naphtha (petroleum):**

Result: Mild eye irritation

##### **Solvent naphtha (petroleum):**

Species: Rabbit

Result: Possibly irritating to eyes

##### **Naphtha (petroleum):**

Result: Mild eye irritation

##### **Solvent naphtha (petroleum):**

Species: Rabbit

Result: Possibly irritating to eyes

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **Solvent naphtha (petroleum):**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

##### **Solvent naphtha (petroleum):**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **Solvent naphtha (petroleum):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative



**Car Brite™ BUTTER WAX™ Liquid Wax**

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Method: OECD Test Guideline 475  
Result: negative

**Solvent naphtha (petroleum):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Method: OECD Test Guideline 475  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**Components:**

**Solvent naphtha (petroleum):**

Assessment: May cause drowsiness or dizziness.

**Solvent naphtha (petroleum):**

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.3      Revision Date: 04/10/2024      SDS Number: 600000001078      Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

---

### Components:

#### **Naphtha (petroleum):**

May be fatal if swallowed and enters airways.

#### **Solvent naphtha (petroleum):**

May be fatal if swallowed and enters airways.

#### **Naphtha (petroleum):**

May be fatal if swallowed and enters airways.

#### **Solvent naphtha (petroleum):**

May be fatal if swallowed and enters airways.

### **Further information**

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Toxicity**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2024
2.3	04/10/2024	600000001078	Date of first issue: 08/22/2017

---

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

#### 49 CFR

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version  
2.3

Revision Date:  
04/10/2024


SDS Number:  
600000001078

Date of last issue: 04/09/2024  
Date of first issue: 08/22/2017

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN