

Version 4.4	Revision Date: 05/28/2024		DS Number: 00000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016	
SECTIO	N 1. IDENTIFICATION				
Pro	duct name	:	CB HOT STUFF	5 GA	
Pro	duct code	:	CBOOE007-05-S	5	
	nufacturer or supplier's npany name of supplier			LC	
Add	Iress	:	720 Vaiden Drive	, Hernando, MS 38632	
Em	Email Address		EHS@niteoproducts.com		
Tele	ephone	:	1-844-696-4836		
Em ber	ergency telephone num-	:	1-800-424-9300 /	1-703-741-5970	
Rec	commended use of the c	hen	nical and restriction	ons on use	
Rec	commended use	:	CLEANER		
Res	strictions on use	:	Use only outdoor	s or in a well-ventilated area.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor 1910.1200)	dar	nce with the OSHA Hazard Communication Standard (29 CFR
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Causes severe skin burns and eye damage.
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:



rsion I	Revision Date: 05/28/2024	SDS Number: 60000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016
		IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: R Remove conta rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/ shower. Remove person to fresh air and keep comfortable mmediately call a POISON CENTER/ doctor. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue liately call a POISON CENTER/ doctor. nated clothing before reuse.
		Storage:	
		Store locked u	р.
		Disposal:	
		Dispose of cor plant.	itents/ container to an approved waste disposal
Othe	r hazards		
Name	known.		

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hydroxide	1310-73-2	>= 2 - < 5
2-Butoxyethanol	111-76-2	>= 1 - < 5
A ((')		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital.



Vers 4.4	ion	Revision Date: 05/28/2024	-	0S Number: 0000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016	
				Remove contact le Protect unharmed Keep eye wide op If eye irritation per	l eye.	
	If swallowed		:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.		
	Most important symptoms and effects, both acute and delayed		:	Causes serious e Causes severe bu		
	Notes to physician		:	Treat symptomati	cally.	
SEC	TION 5	. FIREFIGHTING MEA	SU	RES		
	Unsuita media	ble extinguishing	:	High volume wate	er jet	
	Specific fighting	c hazards during fire-	:	Do not allow run-o courses.	off from fire fighting to enter drains or water	
	Hazard ucts	ous combustion prod-	:	Sodium oxides Carbon oxides Oxides of phosph	orus	
	Further	information	:	must not be disch Fire residues and	Ited fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.	
	Special for firef	protective equipment ighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Comply with all applicable local, state and federal regulations.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.



Version	Revision Date:	SDS Number:	Date of last issue: 04/10/2024
4.4	05/28/2024	60000000731	Date of first issue: 05/23/2016
SECTION	7. HANDLING AND	STORAGE	

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI



Version 4.4	Revision Date: 05/28/2024		Number: 000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016
Pers	onal protective equipn	nent		
Resp	viratory protection	a Ii	pproved filter.	t or aerosol formation use respirator with an our formation use a respirator with an ap-
Hand	protection			
R	emarks			a specific workplace should be discussed s of the protective gloves.
Eye	protection	ד V	ye wash bottle w ightly fitting safe Vear face-shield problems.	
Skin	and body protection	C		ng ection according to the amount and con- langerous substance at the work place.
Prote	ective measures			ot eat, drink or smoke. ves and eye/face protection.
Hygi	ene measures	۷	Vhen using do no Vhen using do no Vash hands befo	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	purple
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	>= 13
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	100 °C (1,013 hPa) The value is calculated
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available



SDS Number: 600000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016
: No data available	
: 25.44 hPa The value is calc	ulated
: No data available)
: 1.0287 g/cm3	
: No data available)
: No data available	
: No data available)
: No data available)
: No data available	
: No data available)
: No data available)
	60000000731 : No data available : 25.44 hPa The value is calc : No data available : 1.0287 g/cm3 : No data available : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Acids Aluminium Amines Ammonia Bases chlorates Chlorine Halogenated compounds Metals organic nitro compounds salts of strong bases Strong oxidizing agents

Not applicable



Version 4.4	Revision Date: 05/28/2024		OS Number: 0000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016
Haza prod	ardous decomposition ucts	:	Carbon oxides Oxides of phosp Sodium oxides	ohorus
SECTION	I 11. TOXICOLOGICAL	INF	ORMATION	
Inhal Skin	mation on likely route ation contact contact stion	s of	exposure	
	e toxicity classified based on avail	lable	information.	
Prod	luct:			
Acute	e oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method
Acut	e inhalation toxicity	:	Acute toxicity es Exposure time: 4 Test atmosphere Method: Calcula	e: vapour
Acute	e dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method
Com	ponents:			
Sodi	um hydroxide:			
Acute	e oral toxicity	:	LDLo (Rabbit): 5	00 mg/kg
2-Bu	toxyethanol:			
	e oral toxicity	:	LD50 (Guinea pi	g): 1,200 mg/kg
Acut	e inhalation toxicity	:	LC50 (Guinea pi Exposure time: 1 Test atmosphere Assessment: The short term inhala	h :: dust/mist e component/mixture is moderately toxic after
Acut	e dermal toxicity	:		g): > 2,000 mg/kg e component/mixture is moderately toxic after th skin.

Skin corrosion/irritation

Causes severe burns.

Product:

Method: OECD Test Guideline 435 Result: Corrosive after 3 minutes to 1 hour of exposure



Version	Revision Date:	SDS Number:	Date of last
4.4	05/28/2024	60000000731	Date of first

Date of last issue: 04/10/2024 Date of first issue: 05/23/2016

Remarks: Extremely corrosive and destructive to tissue.

Components:

Sodium hydroxide:

Result: Corrosive after 3 minutes or less of exposure

2-Butoxyethanol:

Method: Directive 67/548/EEC, Annex V, B.4. Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Sodium hydroxide:

Result: Corrosive

2-Butoxyethanol:

Result: Irritating to eyes. Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Sodium hydroxide:

Exposure routes: Skin contact Species: Humans Result: negative

2-Butoxyethanol:

Species: Guinea pig Method: OECD Test Guideline 406 Result: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.



/ersion 1.4	Revision Date: 05/28/2024	SDS Number: 60000000731	Date of last issue: 04/10/2024 Date of first issue: 05/23/2016
Com	ponents:		
2-But	toxyethanol:		
Geno	toxicity in vitro		almonella typhimurium ation: with and without metabolic activation
Carci	nogenicity		
	lassified based on ava	ailable information.	
IARC	}		this product present at levels greater than or dentified as probable, possible or confirmed n by IARC.
OSH	Α	•	this product present at levels greater than or on OSHA's list of regulated carcinogens.
NTP			this product present at levels greater than or dentified as a known or anticipated carcinoge
Repr	oductive toxicity		
Not c	lassified based on ava	ailable information.	
STO	F - single exposure		
Not c	lassified based on ava	ailable information.	
	- repeated exposure		
Not c	lassified based on ava	ailable information.	
•	ation toxicity		
Not c	lassified based on ava	ailable information.	
Furth	er information		
<u>Prod</u> Rema	<mark>uct:</mark> arks: No data available)	
SECTION	12. ECOLOGICAL IN	IFORMATION	
	city ional ecological nation	: No data availat	ble

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.



Version	Revision Date:	SDS Number:	Date of last issue: 04/10/2024
4.4	05/28/2024	60000000731	Date of first issue: 05/23/2016
Conta	minated packaging	: Empty remainin Dispose of as u Do not re-use e	

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR		
UN/ID No.	:	UN 1824
Proper shipping name	:	Sodium hydroxide solution
Class	:	8
Packing group	:	II
Labels	:	8
Packing instruction (cargo	:	855
aircraft)		
Packing instruction	:	851
(passenger aircraft)		
IMDG-Code		
UN number	:	UN 1824
Proper shipping name	:	SODIUM HYDROXIDE SOLUTION
Class	:	8
Packing group	:	II
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR UN/ID/NA number Proper shipping name	:	UN 1824 Sodium hydroxide solution
Class Packing group Labels ERG Code Marine pollutant		8 II 8 154 no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components CAS-No. Component RQ Calculated pr	
Components CAS-No. Component RQ Calculated pr	product RQ



Version 4.4	Revision Date: 05/28/2024	SDS Number: 60000000731	Date of last issue: Date of first issue:	
			(lbs)	(lbs)

		(lbs)	(lbs)	
Sodium hydroxide	1310-73-2	1000	*	
*: Calculated PO exceeds reasonably attainable upper limit				

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sulfuric acid	7664-93-9	1000	*
*: Coloulated BO exceeds reasonably attainable upper limit			

*: Calculated RQ exceeds reasonably attainable upper limit.


SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.				
SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation		
SARA 313	:	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		
		2-Butoxyethanol	111-76-2	>= 1 - < 5 %

California Prop. 65

WARNING: This product can expose you to chemicals including Sulfuric acid, 1,4-Dioxane, Ethylene Oxide, which is/are known to the State of California to cause cancer, and Sulfur dioxide, Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION





Version	Revision Date:	SDS Number:	Date of last issue: 04/10/2024
4.4	05/28/2024	60000000731	Date of first issue: 05/23/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN