

Version 2.3	Revision Date: 04/10/2024		DS Number: 00000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
SECTION	I 1. IDENTIFICATION			
Prod	uct name	:	BIO FLOOR CLE	ANER PL 5 GA
Prod	uct code	:	782296	
	ufacturer or supplier's pany name of supplier			LC
Addr	ess	:	720 Vaiden Drive	, Hernando, MS 38632
Ema	il Address	:	EHS@niteoprodu	cts.com
Tele	phone	:	1-844-696-4836	
Eme ber	rgency telephone num-	:	1-800-424-9300 /	1-703-741-5970
Reco	ommended use of the c	her	nical and restriction	ons on use
Reco	ommended use	:	CLEANER	
Rest	rictions on use	:	Use only outdoors	s or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor 1910.1200)	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Skin corrosion	:	Category 1			
Skin corrosion	:	Category 1B			
Serious eye damage	:	Category 1			
GHS label elements					
Hazard pictograms	:	A CONTRACTOR OF A CONTRACTOR O			
Signal word	:	Danger			
Hazard statements	:	Causes severe skin burns and eye damage.			
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face			



>= 1 - < 3

>= 1 - < 5

Car Brite[™] BIO FLOOR CLEANER Concentrated Floor Cleaner

rsion 3	Revision Date: 04/10/2024	SDS Number: 600000000190		ssue: 04/09/2024 ssue: 05/23/2016
		protection.		
		Response:		
		IF SWALLOW IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: R Remove conta rinsing. Immed	r hair): Take off in skin with water/s Remove person to mmediately call a inse cautiously wi ct lenses, if prese	o fresh air and keep comfortable POISON CENTER/ doctor. ith water for several minutes. ent and easy to do. Continue ON CENTER/ doctor.
		Storage:	Ū	
		Store locked u	р.	
		Disposal:		
		-	ntents/ container to	o an approved waste disposal
Othe	r hazards			
None	known.			
			REDIENTS	
Subs	tance / Mixture	: Mixture		
Haza	rdous components			
Cherr	nical name	CAS	S-No.	Concentration (% w/w)
Unde	can-1-ol, ethoxylated	343	98-01-1	>= 1 - < 5

Sodium metasilicate Sodium Xylene Sulfonate Sodium hydroxide >= 1 - < 3 1310-73-2 Any concentration shown as a range is to protect confidentiality or is due to batch variation.

6834-92-0

1300-72-7

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.



Version 2.3	Revision Date: 04/10/2024	SDS Numbe 600000000	
In ca	se of eye contact	of water Continu Remove Protect	ase of contact with eyes, rinse immediately with plenty and seek medical advice. e rinsing eyes during transport to hospital. contact lenses. unharmed eye. e wide open while rinsing.
lf sw	allowed	Do NOT Rinse m Do not g Never g	lical attention immediately. induce vomiting. outh with water. ive milk or alcoholic beverages. ve anything by mouth to an unconscious person. oms persist, call a physician.
	important symptoms effects, both acute and /ed		serious eye damage. severe burns.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Sulphur oxides Sodium oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Avoid breathing dust.
gency procedures	Persons not wearing protective equipment should be excluded
	from area of spill until clean-up has been completed.
	Comply with all applicable local, state and federal regulations.



Vers 2.3		ision Date: 10/2024		0S Number: 0000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016		
	Environmental precautions		:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
	Methods and materials for containment and cleaning up		:	Keep in suitable, closed containers for disposal.			
SEC	TION 7. HAI	NDLING AND ST	OR/	AGE			
	Advice on pr fire and expl	see see segueres	:	Normal measures	for preventive fire protection.		
	Advice on sa	afe handling	:	regulations. Container hazard Smoking, eating a plication area.	skin and eyes. water in accordance with local and national		
	Conditions f	or safe storage	:	place.			
	Further infor age stability	mation on stor-	:	No decompositior	n if stored and applied as directed.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0

Hazardous components without workplace control parameters

Components CAS-No.



Version	Revision Date:	SDS Number:
2.3	04/10/2024	60000000190

Date of last issue: 04/09/2024 Date of first issue: 05/23/2016

Undecan-1-ol, ethoxylated	34398-01-1
Sodium metasilicate	6834-92-0
Sodium Xylene Sulfonate	1300-72-7

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sam-	Permissible	Basis
Components	0.00	parameters	specimen	pling time	concentra- tion	
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI
Engineering measures	ver apj	ovide sufficient ntilation to main plicable) or bel parent adverse	ntain exposu ow levels tha	ire below ex	kposure guide	lines (if
Personal protective equ	ipment					
Respiratory protection	vei	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				
Hand protection						
Remarks	er) cus	ear resistant gl . The suitability ssed with the p ves that show	y for a specif producers of	ic workplac the protecti	e should be di ve gloves. Dis	is-
Eye protection		ear chemical sp ential for expo st.				
Skin and body protection	cei We Imi Sa	oose body pro ntration of the o ear as appropri pervious clothin fety shoes move and was	dangerous s ate: ng	ubstance at	t the work plac	e.
Protective measures		nen using do ne ear suitable glo			ction.	
Hygiene measures	pra Wł	ndle in accord actice. nen using do na nen using do na	ot smoke.		al hygiene and	l safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Vers 2.3	sion	Revision Date: 04/10/2024		S Number: 0000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
	Appear	ance	:	liquid	
	Colour		:	orange	
	Odour		:	mild	
	Odour ⁻	Threshold	:	not determined	
	рН		:	13.2	
	Melting	point/freezing point	:	No data available	9
	Boiling	point/boiling range	:	100 °C (1,013 hPa) The value is calc	ulated
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	No data available	9
	Self-ig	nition	:	No data available	9
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	9
	Vapour	pressure	:	23.33 hPa (20 °C The value is calc	
	Density	,	:	1.039 g/cm3 (20	°C)
	Solubili Wat	ty(ies) er solubility	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Decom	position temperature	:	not determined	
	Viscosi Visc	ty osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	No data available	9
	Oxidizir	ng properties	:	No data available	9
	Molecu	lar weight	:	No data available	2

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.



Ver 2.3	sion	Revision Date: 04/10/2024		S Number: 0000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
Chemical stability Possibility of hazardous reac- tions		:	Hazardous polym	n if stored and applied as directed. nerisation does not occur. n if stored and applied as directed.	
	Conditio	ons to avoid	:	No data available)
	Conditions to avoid Incompatible materials		:	Acids Alcohols Aluminium aluminum salts Amines Ammonia Bases chlorates Chlorine Copper alloys Halogenated com Lead Metals organic nitro com Oxidizing agents salts of strong ba Tin Zinc	pounds
	Hazard product	ous decomposition s	:	Carbon oxides Sodium oxides Sulphur oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes	of exposure
Inhalation Eye contact Skin contact Ingestion	
Acute toxicity	
Not classified based on availa	ble information.
Product:	
Acute oral toxicity	: Remarks: Causes digestive tract burns.
	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg



ersion 3	Revision Date: 04/10/2024	SDS Number: 600000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016				
		Method: Ca	culation method				
Com	oonents:						
Unde	can-1-ol, ethoxylated	:					
Acute	oral toxicity	: LD50 (Rat):	> 1,600 mg/kg				
Acute	dermal toxicity	: LD50 (Rabb	it): > 2,000 mg/kg				
2-But	oxyethanol:						
Acute	oral toxicity	: LD50 (Guine	ea pig): 1,200 mg/kg				
Acute	inhalation toxicity	Exposure tir Test atmosp Assessmen	 LC50 (Guinea pig): > 633 ppm Exposure time: 1 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic afte short term inhalation. 				
Acute	dermal toxicity	 LD50 (Guinea pig): > 2,000 mg/kg Assessment: The component/mixture is moderately toxic after single contact with skin. 					
Sodiu	um metasilicate:						
Acute	oral toxicity	: LD50 (Rat):	1,153 mg/kg				
Sodiı	Im Xylene Sulfonate:						
	oral toxicity	: LD50 (Rat):	> 7,000 mg/kg CD Test Guideline 401				
Acute	dermal toxicity	Method: OE	it): > 2,000 mg/kg CD Test Guideline 402 t: No adverse effect has been observed in acute ity tests.				
Sodiu	um hydroxide:						
Acute	oral toxicity	: LDLo (Rabb	it): 500 mg/kg				
	corrosion/irritation es severe burns.						
<u>Produ</u> Rema							

Components:

Undecan-1-ol, ethoxylated:

Result: Irritating to skin.

2-Butoxyethanol:



Version	Revision Date:	SDS Number:
2.3	04/10/2024	60000000190

Date of last issue: 04/09/2024 Date of first issue: 05/23/2016

Method: Directive 67/548/EEC, Annex V, B.4. Result: Irritating to skin.

Sodium metasilicate:

Result: Causes burns.

Sodium Xylene Sulfonate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Mild skin irritation Remarks: Information given is based on data obtained from similar substances.

Sodium hydroxide:

Result: Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

Undecan-1-ol, ethoxylated:

Result: Irritating to eyes.

2-Butoxyethanol:

Result: Irritating to eyes. Method: OECD Test Guideline 405

Sodium metasilicate:

Result: Irreversible effects on the eye Assessment: Corrosive

Sodium Xylene Sulfonate:

Species: Rabbit Result: Irritation to eyes, reversing within 7 days Method: OECD Test Guideline 405 GLP: yes

Sodium hydroxide:

Result: Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SAFETY DATA SHEET



Car Brite[™] BIO FLOOR CLEANER Concentrated Floor Cleaner

Version	Revision Date:	SDS Number:
2.3	04/10/2024	60000000190

Date of last issue: 04/09/2024 Date of first issue: 05/23/2016

Respiratory sensitisation

Not classified based on available information.

Components:

Undecan-1-ol, ethoxylated:

Assessment: Did not cause sensitisation on laboratory animals. Remarks: Information given is based on data obtained from similar substances.

2-Butoxyethanol:

Species: Guinea pig Method: OECD Test Guideline 406 Result: Not a skin sensitizer.

Sodium Xylene Sulfonate:

Test Type: Buehler Test Exposure routes: Dermal Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation. GLP: yes

Sodium hydroxide:

Exposure routes: Skin contact Species: Humans Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Undecan-1-ol, ethoxylated:		
Genotoxicity in vitro	Remarks: In vitro tests did not show mutagenic effects	
Genotoxicity in vivo	: Result: In vivo tests did not show any chromosomal change	s.
2-Butoxyethanol:		
Genotoxicity in vitro	 Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative 	
Carcinogenicity		
Not classified based on availab	e information.	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	,



Version 2.3	Revision Date: 04/10/2024	SDS Number: 60000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016			
NTP			this product present at levels greater than or dentified as a known or anticipated carcinogen			
Reproductive toxicity Not classified based on available information.						
	Γ - single exposure					
	lassified based on ava	ailable information.				
	ponents:					
	um metasilicate:					
	ssment: May cause re	spiratory irritation				
, 10001						
STO	F - repeated exposur	e				
Not c	lassified based on ava	ailable information.				
Aspii	ration toxicity					
Not c	lassified based on ava	ailable information.				
Furth	er information					
Prod	uct:					
Rema	arks: No data available	e				
SECTION	12. ECOLOGICAL IN	IFORMATION				
Toxic	city					
Addit	ional ecological nation	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. atic life with long lasting effects.			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.



Vers 2.3		Revision Date: 04/10/2024		DS Number: 0000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
International Regulations		ional Regulations			
	Class Packing Labels Packing aircraft) Packing	lo. shipping name group instruction (cargo instruction	:	UN 1719 Caustic alkali liqu (Sodium Hydroxi 8 II 8 855 851	id, n.o.s. de, Sodium Metasilicate)
	IMDG-C UN num	ber shipping name group ode	:	UN 1719 CAUSTIC ALKAL (Sodium Hydroxic 8 II 8 F-A, S-B no	l LIQUID, N.O.S. le, Sodium Metasilicate)
·					OL 73/78 and the IBC Code
	Nationa	l Regulations			
	Proper s Class Packing	IA number shipping name group	: :	8 II	ids, n.o.s. de, Sodium Metasilicate)
	Labels ERG Co	ode	:	8 154	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

: no

CERCLA Reportable Quantity

Marine pollutant

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

-	-	-	
Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Ethylene Oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.




Version 2.3	Revision Date: 04/10/2024		OS Number: 0000000190	Date of last issue: 04/09/2024 Date of first issue: 05/23/2016
	•			Threshold Planning Quantity vith a section 302 EHS TPQ.
	A 311/312 Hazards		Skin corrosion	
SARA 313		:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	

California Prop. 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN