



Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

**SECTION 1. IDENTIFICATION** 

Product name : CB EF5 LOW FOAM 5 GA

Product code : CBOOE062-05

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : 720 Vaiden Drive, Hernando, MS 38632

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Category 1

Serious eye damage : Category 1

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Category 2 (Respiratory Tract)

**GHS label elements** 

Hazard pictograms





Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

May cause damage to organs (Respiratory Tract) through pro-

longed or repeated exposure if inhaled.

Precautionary statements : Prevention:





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

#### Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Get medical advice/ attention if you feel unwell. Wash contaminated clothing before reuse.

## Storage:

Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

CAS-No.	Concentration (% w/w)
9016-45-9	>= 10 - < 20
6834-92-0	>= 1 - < 3
64-02-8	>= 1 - < 5
68458-48-0	>= 1 - < 3
	9016-45-9 6834-92-0 64-02-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

If on skin, rinse well with water.





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Get medical attention immediately.

Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

and effects, both acute and delayed

Causes serious eye damage.

May cause damage to organs through prolonged or repeated

exposure if inhaled. Causes severe burns.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# Hazardous components without workplace control parameters

Components	CAS-No.
Nonylphenol polyethoxylate	9016-45-9
Sodium metasilicate	6834-92-0
Tetrasodium EDTA	64-02-8
Polyphosphoric acids, esters with polyethylene glycol decyl	68458-48-0
ether	

**Engineering measures** 

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard

gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is

potential for exposure of the eyes or face to liquid, vapor or

mist.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Remove and wash contaminated clothing before re-use.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : liquid

Colour : blue

Odour : pleasant

Odour Threshold : not determined

pH : 12 - 13

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Method: closed cup

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined



# Car Brite™ EF5 LOW FOAM

Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Vapour pressure : not determined

Relative vapour density : not determined

Density : 1.0469 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

not determined

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Molecular weight : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Remarks: Causes digestive tract burns.

Acute inhalation toxicity : Acute toxicity estimate: 72.43 mg/l



# **Car Brite™ EF5 LOW FOAM**

Version Revision Date: SDS Number: 2.3 04/10/2024 600000002225

Date of last issue: 04/09/2024
Date of first issue: 01/02/2015

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Nonylphenol polyethoxylate:

Acute oral toxicity : LD50 (Mouse): 4,290 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Sodium metasilicate:

Acute oral toxicity : LD50 (Rat): 1,153 mg/kg

**Tetrasodium EDTA:** 

Acute oral toxicity : LD50 (Rat, female): 1,780 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

**Product:** 

Remarks: Causes severe skin burns and eye damage.

**Components:** 

Nonylphenol polyethoxylate:

Result: Irritating to skin.

Sodium metasilicate:

Result: Causes burns.

**Tetrasodium EDTA:** 

Species: Rabbit

Result: No skin irritation

Polyphosphoric acids, esters with polyethylene glycol decyl ether:

Result: Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

# Car Brite™ EF5 LOW FOAM



Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

**Product:** 

Remarks: May cause irreversible eye damage.

**Components:** 

Nonylphenol polyethoxylate:

Result: Irritating to eyes.

Sodium metasilicate:

Result: Irreversible effects on the eye

Assessment: Corrosive

**Tetrasodium EDTA:** 

Result: Irritating to eyes.

Polyphosphoric acids, esters with polyethylene glycol decyl ether:

Result: Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

**Tetrasodium EDTA:** 

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Not classified based on available information.

Components:

Nonylphenol polyethoxylate:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

**Tetrasodium EDTA:** 

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

# Car Brite™ EF5 LOW FOAM



Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

#### Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### **Components:**

#### Sodium metasilicate:

Assessment: May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

# **Components:**

#### **Tetrasodium EDTA:**

Exposure routes: Inhalation
Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

#### **Aspiration toxicity**

Not classified based on available information.

# **Further information**

#### **Product:**

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Toxicity**

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

**IATA-DGR** 

UN/ID No. : UN 1760

Proper shipping name : Corrosive liquid, n.o.s.

(Sodium Metasilicate, TETRASODIUM EDTA)

Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo : 855

aircraft)

Packing instruction : 851

(passenger aircraft)

**IMDG-Code** 

UN number : UN 1760

Proper shipping name : CORROSIVE LIQUID, N.O.S.

(Sodium Metasilicate, TETRASODIUM EDTA)

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Tuesday and in builty accounting to Assure

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

**49 CFR** 

UN/ID/NA number : UN 1760

Proper shipping name : Corrosive liquids, n.o.s.

(Sodium Metasilicate, TETRASODIUM EDTA)

Class : 8
Packing group : II
Labels : 8
ERG Code : 154
Marine pollutant : no





Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

#### **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


## California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, Ethylene Oxide, Diethanolamine, which is/are known to the State of California to cause cancer, and Methyl chloride, Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard



# Car Brite™ EF5 LOW FOAM

Version Revision Date: SDS Number: Date of last issue: 04/09/2024 2.3 04/10/2024 600000002225 Date of first issue: 01/02/2015

Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN