



Section 1. Product and Company Identification

Product Identifier G25 - Blast

Product Use Description: Anionic Detergent Blend - Used as automobile cleaning concentrate, Green clear liquid with glycol odor

Manufacturer or suppliers' details

P & S Sales, Inc
20943 Cabot Blvd.
Hayward CA 94545

Emergency Number: 800-255-3924
Customer Service: 510-732-2628
Business Fax: 510-732-2632

Section 2. Hazards Identification

GHS Classification

Skin Irritation : Category 2

Eye Irritation : Category 1

GHS Label Elements

Hazard Pictograms



Hazard Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage
Harmful if swallowed
Harmful to aquatic life

Precautionary Statements

- P264: Wash skin thoroughly after handling
- P280: Wear protective gloves/protective clothing/eye protection/face protection
- P302: IF ON SKIN:
 - P264: Wash skin thoroughly after handling
 - P305: IF IN EYES:
 - P351: Rinse cautiously with water for several minutes
 - P338: Remove contact lenses if present and easy to do. continue rinsing
- P332+313: If skin irritation occurs: Get medical advice/attention
- P362: Take off contaminated clothing and wash before reuse
- P420: Store away from other materials
- P273: Avoid release to the environment
- P501: Dispose of contents/container to an approved waste disposal plant.



3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
85536-14-7	2-8%	Benzenesulfonic Acid, 4-C10-13-sec-Alkyl Derivs.
10213-79-3	2-8%	Sodium Metasilicate Pentahydrate
68439-46-3	1-5%	C(9-11) Pareth-6
10101-89-0	1-5%	Trisodium Phosphate

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye: Immediately and gently flush with water for 15 minutes. Consult physician.

Skin: Rinse thoroughly if irritation occurs. Consult Doctor if it persists

Inhalation: Move to fresh air. No first aid should be needed from exposure due to mist. Consult physician if symptoms such as difficulty breathing occur. If aspiration occurs consult physician immediately.

Oral: Rinse mouth. Seek medical attention if symptoms occur.

Comments: Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO₂), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Metal oxides.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up



This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

8. Exposure Controls and Personal Protection

85536-14-7	Benzenesulfonic Acid, 4-C10-13-sec- Alkyl Derivs	not established
10213-79-3	Sodium Metasilicate Pentahydrate	not established
68439-46-3	C(9-11) Pareth-6	not established
10101-89-0	Trisodium Phosphate	

Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum.

Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.



9. Physical and Chemical Properties

Flash Point	>100°C (212°F)	Upper Flamability Limit	None
Auto Ignition	Not Determined	Lower Flamability Limit	None
Physical State	Liquid	Color	Green
pH	11	Vapor Press	Not Determined
Specific Gravity	1.06	Viscosity	50 cst
Vapor Density (Air=1)	Not Determined	Melting Point °F	25°F
Water Solubility	complete	Odor	Glycol
		VOC Content	<0.5% CARB VOC, .22 lb/gal See section 15 for details

10. Stability and Reactivity

Stability	Stable	Hazardous Polymerization	Not Expected to Occur
Conditions to Avoid	Oxidizing materials can cause a reaction		

Hazardous Decomposition Products When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

11. Toxicological Information

Routes of Entry: Dermal Contact, Eye Contact, Inhalation, Ingestion

Acute oral toxicity : Acute toxicity estimate LD50 > 5,000 mg/Kg Calculation Method (rat)

Based on Dodecylbenzenesulfonic acid sodium salt (25155-30-0) - 100%

Acute toxicity

LD50 Oral - Rat - 438 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

Behavioral:Somnolence (general depressed activity). Diarrhea

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation - 24 h

Causes skin irritation.

Causes serious eye damage. irritation

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

12. Ecological Information

Toxicity : Acute toxicity estimation EC50 > 1,000 mg/Kg (Calculation Method 3.1.3.6.1) 48 hr (fish)



Based on Dodecylbenzenesulfonic acid sodium salt (25155-30-0) - 100%

Aquatic toxicity

Acute

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h

mortality NOEC - Daphnia (water flea) - 4 mg/l - 7 d

Persistence and degradability This product is expected to be readily biodegradable.

13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.

14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

15. Regulatory Information

OSHA Hazards : Hazardous Chemical

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity - This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List -
Not Regulated



Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) -
Not Regulated

Safe Drinking Water Act -
Not Regulated

CARB VOC info: .49% VOC as regulated by CARB Consumer Products requirements, LVP-VOC exception

ARB VOC Info: .22 lb/gal VOC; 25.2 g/L

16. Other Information **Revision Date** 1/12/2021

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Substances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Substances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Existing Chemical Substances

PICCS Philipines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.