



Section 1. Product and Company Identification

Product Identifier L61 - Leather Treatment
Product Use Description: Thick Tan liquid with Leather fragrance

Manufacturer or suppliers' details

P & S Sales, Inc
20943 Cabot Blvd.
Hayward CA 94545

Emergency Number: 800-255-3924
Customer Service: 510-732-2628
Business Fax: 510-732-2632

Section 2. Hazards Identification

GHS Classification

Eye Irritation : Category 1A

GHS Label Elements

Hazard Pictograms



Hazard Word **Warning**

Hazard Statements

Causes serious eye irritation

Precautionary Statements

- P201: Obtain special instructions before use
- P202: Do not handle until all safety precautions have been read and understood
- P261: Avoid breathing spray
- P264: Wash skin thoroughly after handling
- P280: Wear protective gloves/eye protection
- P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
- P308+313: IF exposed or concerned: Get medical advice/attention
- P337+313: If eye irritation persists get medical advice/attention
- P501: Dispose of contents/container to an approved waste disposal plant.

3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
9043-30-5	1-3%	Poly(oxy-1,2-ethanediyl), α - isotridecyl- ω -hydroxy-
8042-47-5	1-3%	White Mineral Oil
112-80-1	2-6%	Oleic Acid



9003-01-4

1-3%
70-90%

Polyacrylic Acid, Amine salt
Water

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye: Immediately and carefully, flush with water for 15 minutes. Remove contact lenses if possible and get medical attention if irritation persists.

Skin: No first aid should be needed.

Inhalation: No first aid should be needed. Get medical attention if symptoms occur.

Oral: If Swallowed, Do not induce Vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Comments: Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO₂), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

6. Accidental Release Measures

Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which



federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

8. Exposure Controls and Personal Protection

9043-30-5	Poly(oxy-1,2-ethanediyl), α - isotridecyl-	none established
	ω -hydroxy-	
8042-47-5	White Mineral Oil	5 mg/m3 REL Mist, PEL Mist
		10 mg/m3 STEL Mist
112-80-1	Oleic Acid	None Established
9003-01-4	Polyacrylic Acid, Amine salt	None Established
	Water	None Established

Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum.

Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system.

Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

9. Physical and Chemical Properties

Flash Point 213.8 °F

Upper Flamability Limit

Not Determined



Auto Ignition	Not Determined	Lower Flamability Limit	Not Determined
Physical State	Liquid	Color	Tan
pH	7.8	Vapor Press	Not Determined
Specific Gravity	1.0	Viscosity	1200 cst
Vapor Density (Air=1)	Not Determined	Melting Point °F	32 °F
Water Solubility	Dispersable	Odor	Leather
		VOC Content	< 0.1%

10. Stability and Reactivity

Stability Stable **Hazardous Polymerization** Not Expected to Occur

Conditions to Avoid Oxidizing materials can cause a reaction

Hazardous Decomposition Products When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors.
Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

11. Toxicological Information

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

Acute inhalation toxicity

: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

: Acute toxicity estimate : > 10 mg/l Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Ingredients:

Alcohols, C11-15-secondary, Ethoxylated:

Acute oral toxicity : LD50 (Rat): > 412 mg/kg

Acute inhalation toxicity LC50 (Rat): 1.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg

12. Ecological Information

Ingredients:

Alcohols, C11-15-secondary, Ethoxylated:

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

: LC50 (Pimephales promelas (fathead minnow)): 3.2 - 3.6 mg/l Exposure time: 96 h

: EC50 (Daphnia magna (Water flea)): 7.3 mg/l Exposure time: 48 h

Toxicity to daphnia and aquatic invertebrates (Chronic toxicity) NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

Toxicity to bacteria: EC50: > 1,000 mg/l Exposure time: 16 h

13. Disposal Considerations

Disposal methods

Resource Conservation and Recovery Act (RCRA)



Waste from residues Contaminated packaging

: This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

: Dispose of in accordance with local regulations.

: Dispose of as unused product.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transportation Information

International Regulation

UNRTDG

Not regulated as a dangerous good

IAT A-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Date of last issue: -

Date of first issue: 11/28/2014

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation 49 CFR

Not regulated as a dangerous good

15. Regulatory Information

EPCRA - Emergency Planning and Community Right-to-Know CERCLA Reportable Quantity :

Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity: This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Acute Health Hazard Chronic Health Hazard

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

KECI : All ingredients listed, exempt or notified.

AICS : All ingredients listed or exempt.

IECSC : All ingredients listed or exempt.

PICCS : All ingredients listed or exempt.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

NZIoC : All ingredients listed or exempt.

Inventories

IECSC (China), REACH (European Union), ENCS (Japan), ISHLAICS (Australia), DSL (Canada), (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)



16. Other Information **Revision Date** 10/6/2021

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists
LD50 Lethal Dose 50%
AICS Australia, Inventory of Chemical Substances
LOAEL Lowest Observed Adverse Effect Level
DSL Canada, Domestic Sub- stances List
NFPA National Fire Protection Agency
NDSL Canada, Non-Domestic Sub- stances List
NIOSH National Institute for Occupational Safety & Health
CNS Central Nervous System
NTP National Toxicology Program
CAS Chemical Abstract Service
NZIoC New Zealand Inventory of Chemicals
EC50 Effective Concentration
NOAEL No Observable Adverse Effect Level
EC50 Effective Concentration 50%
NOEC No Observed Effect Concentration
EGEST EOSCA Generic Exposure Scenario Tool
OSHA Occupational Safety & Health Administration
EOSCA European Oilfield Specialty Chemicals Association
PEL Permissible Exposure Limit
EINECS European Inventory of Exist- ing Chemical Substances
PICCS Philipines Inventory of Commercial Chemical Substances
MAK Germany Maximum Concentration Values
PRNT Presumed Not Toxic
GHS Globally Harmonized System
RCRA Resource Conservation Recovery Act
>= Greater Than or Equal To
STEL Short-term Exposure Limit
IC50 Inhibition Concentration 50%
SARA Superfund Amendments and Reauthorization Act.
IARC International Agency for Re- search on Cancer
TLV Threshold Limit Value
IECSC Inventory of Existing Chemical Substances in China
TWA Time Weighted Average
ENCS Japan, Inventory of Existing and New Chemical Sub- stances
TSCA Toxic Substance Control Act
KECI Korea, Existing Chemical Inventory



UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal TO

WHMIS Workplace Hazardous Materials In- formation System

LC50 Lethal Concentration 50%



P & S Sales, Inc.

Safety Data Sheet

L61 - Leather Treatment

Page 8

Revision Date: 10/6/2021
