

Page: 1/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

1 Identification

· Product identifier

· Trade name: Metal Magic · Product code: BB86

· Recommended use and restriction on use

· Recommended use: Metal surface treatment

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Babe's Boat Care Products

1097 Hewitt Dr.

San Carlos, CA 94070

510-732-2628

orders@pssales.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Eye Irrit. 2B H320 Causes eye irritation.

Repr. 1 H360 May damage fertility or the unborn child. Route of exposure: Oral.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS08

· Signal word: Danger

· Hazard statements:

H227 Combustible liquid.

H320 Causes eye irritation.

H360 May damage fertility or the unborn child. Route of exposure: Oral.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eve protection.

(Cont'd. on page 2)



Page: 2/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 1)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · **Additional information:** Contains peppermint oil. May produce an allergic reaction.
- Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

64742-47-8	Distillates (petroleum), hydrotreated light	<50%
	Asp. Tox. 1, H304 Flam. Liq. 4, H227	
64742-96-7	Solvent naphta (petroleum) heavy aliph. Asp. Tox. 1, H304	<50%
1344-28-1	aluminum oxide	20-30
112-80-1	oleic acid, pure Eye Irrit. 2B, H320	20-30
8006-90-4	peppermint oil Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317 Flam. Liq. 4, H227	<1%
872-50-4	N-methyl-2-pyrrolidone	<1%
7664-38-2	phosphoric acid Skin Corr. 1B, H314	<1%

[·] **Additional information:** For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

(Cont'd. on page 3)



Page: 3/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

Dizziness

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Causes mild skin irritation.

Causes eye irritation.

Disorientation

Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

May damage fertility or the unborn child. Route of exposure: Oral.

Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

Contains peppermint oil. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

Foam

Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Combustible liquid.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 4)



Page: 4/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 3)

Wear fully protective suit.

· Additional information: Cool endangered containers with water fog.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- Precautions for safe handling:

Keep out of reach of children.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Combustible liquid.

Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

· Specific end use(s) No relevant information available.

(Cont'd. on page 5)



Page: 5/12

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 4)

8 Exposure co	Exposure controls/personal protection			
· Control paran	· Control parameters			
· Components w	· Components with limit values that require monitoring at the workplace:			
1344-28-1 alum				
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.			
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction			
EL (Canada)	Long-term value: 1.0 mg/m³ respirable, as Al			
EV (Canada)	Long-term value: 10 mg/m³ total dust			
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable			
64742-47-8 Dis	tillates (petroleum), hydrotreated light			
EL (Canada)	Long-term value: 200 mg/m³ Skin			
872-50-4 N-met	hyl-2-pyrrolidone			
WEEL (USA)	Long-term value: 10 ppm Skin			
EV (Canada)	Long-term value: 400 mg/m³			
7664-38-2 phos	phoric acid			
PEL (USA)	Long-term value: 1 mg/m³			
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
TLV (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
EL (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
EV (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
LMPE (Mexico)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
· Ingredients wit	h biological limit values:			
	hyl-2-pyrrolidone			
BEI (USA) 100	mg/L			
` ´ Med	ium: urine			
	e: end of shift			
Para	ameter: 5-Hydroxy-N-methyl-2-pyrrolidone (Cont'd. on page 6)			
	(Conta. on page 6)			



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Page: 6/12

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 5)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Pregnant women should strictly avoid inhalation or ingestion.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Protection of hands:



Protective gloves

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	White	
Odor:	Pleasant	
Odor threshold:	Not determined.	
pH-value:	6.5	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	~100°C (~212 °F)	
Flash point:	88.9°C (192 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	214°C (417.2 °F)	

(Cont'd. on page 7)



Page: 7/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

		(Cont'd. of page
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	0.133hPa (0.1 mm Hg) (0.1 mm Hg)	
Density:		
Relative density:	0.994	
Vapor density:	4.8	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Dispersible.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	10mm²/s	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Combustible liquid.

Reacts with strong acids and alkali.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P2O5)

Nitrogen oxides (NOx)

(Cont'd. on page 8)



Page: 8/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 7)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50) values th	hat are relevant for classification:	
ATE (Ac	ute Toxic	city Estimate)	
Dermal	LD50	>5000 mg/kg (rabbit)	

64742-47-	64742-47-8 Distillates (petroleum), hydrotreated light			
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rabbit)		
872-50-4	872-50-4 N-methyl-2-pyrrolidone			
Oral	LD50	4150 mg/kg (rat)		
Dermal	LD50	>5000 mg/kg (rat)		
Inhalative	LC50/4h	>5.1 mg/l (rat)		

- Primary irritant effect:
- · On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

- · On the eye: Irritating effect.
- · Sensitization:

Based on available data, the classification criteria are not met.

Sensitizing effect by skin contact is possible with prolonged exposure.

Contains peppermint oil. May produce an allergic reaction.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: May damage fertility or the unborn child. Route of exposure: Oral.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · **Aspiration hazard:** May be fatal if swallowed and enters airways.

(Cont'd. on page 9)



Page: 9/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
UN-Number	NA4002	
· DOT · ADR, IMDG, IATA	NA1993 Not regulated.	
· UN proper shipping name		
DOT	COMBUSTIBLE LIQUID, N.O.S (PETROLEUM DISTILLATES)	
· ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		

· DOT



Class 3 Combustible liquids

(Cont'd. on page 10)



Page: 10/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

	(Cont'd. of page
Label	3
ADR, IMDG, IATA	
Class	Not regulated.
Packing group	
DOT	III
ADR, IMDG, IATA	Not regulated.
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	Classified as combustible under US DOT regulation: Labeling is only required for single packages ≥119 U gal / 450 L.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminum oxide

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Cont'd. on page 11)



Page: 11/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 10)

· Chemicals known to cause developmental toxicity:

872-50-4 N-methyl-2-pyrrolidone

Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision October 09, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1: Reproductive toxicity – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Sources

(Cont'd. on page 12)



Page: 12/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 09, 2017 Revision: October 09, 2017

Trade name: Metal Magic

(Cont'd. of page 11)

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com