

TECHNICAL DATA SHEET

TECHNICIAN'S CHOICE® TEC70 TC BLACK FUSION

TEC70 TC BLACK FUSION is a low viscosity Methoxy-Methylphenyl Oligomer coating that cures at room temperature. **TEC70** may be used on vinyl, polystyrene, rubber, and polyvinyl chloride. Restores faded plastic and protects against acid rain, sun damage, chalking, and detergents. May be used on car carrier trim, RV trim, truck beds, bumpers, and other plastic, black and grey surfaces that are exposed to fading.

OUTSTANDING FEATURES

- VOC Compliant.
- Easy spray application.
- Resists acid rain, detergents, fading and chalking.
- Lasts up to one year.
- Cure time, 90 minutes depending on climate conditions.

PHYSICAL PROPERTIES

- Percent Actives: 65% \pm 0.5
- Wt/Gal: 7.0 \pm 0.05
- Color: Black
- Odor: Solvent
- Viscosity: Water thin
- Pencil hardness: 2H
- Flexibility: Excellent, No cracking.
- Impact resistance: Excellent

DIRECTIONS: SHAKE WELL BEFORE AND CONTINUOUSLY DURING USE.

It is normal for the pigment to separate and collect at the bottom.

NOTE: Excessive moisture will cause TEC70 TC Black Fusion to gel if bottle cap is left open.

The surface which **TEC70** is to be applied to is to be **CLEAN & DRY** with no water spots. Either tape off painted or glass surfaces near to the application area or keep a wet microfiber close by to clean up any excess. Make sure to wipe immediately.

Apply a small amount of **TEC70** **EVENLY** to a clean, dry surface using an applicator pad or brush. Remove excess product. Allow to dry on surface 90 minutes, depending on climate conditions. Depending on the condition of the surface **TEC70** is being applied to, the surface may require a second coat.

DANGER: COMBUSTIBLE. Contains Petroleum Solvents. **HARMFUL OR FATAL IF SWALLOWED.**

CAUTION: May cause eye and skin irritation. Use in a well ventilated area. Avoid breathing vapor or mist. Local exhaust preferred.

KEEP OUT OF REACH OF CHILDREN
FOR PROFESSIONAL USE ONLY * REFER TO MSDS BEFORE USE
USE IN A WELL VENTILATED AREA
ALWAYS WEAR RECOMMENDED SAFETY EQUIPMENT

HMIS Rating: Health-1 Fire-2 Reactivity-0 Personal Protection-c
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme