# Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**Section 1 - Chemical Product and Company Identification** 

Product Name: True North Purple Degreaser

Distributor: DSI Automotive, Fargo ND 58102 (800) 437-4621

<u>Product Use</u> Cleaning Compound

**Emergency Telephone: INFOTRAC 800-535-5053** 

**Section 2 - Hazards Identification** 

**GHS HAZARD** 

Hazard Classes
Skin irritation
Eye irritation

Hazard Categories

Category 2 Category 2B

**Signal Word: Warning** 



<u>Pictograms:</u>

**Hazard Statements** 

PHYSICAL HAZARDS: None

**HEALTH HAZARDS:** 

H315 Causes skin irritation H320 Causes eye irritation

ENVIRONMENTAL HAZARDS: None

PRECAUTIONARY STATEMENTS: P261: Avoid breathing vapor

P280: Wear protective gloves and eye protection

P301 +310+ P331: IF SWALLOWED: <u>USA</u> Immediately call the National POISON CENTER at 800-222-1222.

**DO NOT induce vomiting** 

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**RESPONSE STATEMENTS:** 

P303+P361+353: IF ON SKIN, Take off immediately all contaminated clothing. Rinse skin with water/shower P304+340: IF INHALED, Remove to fresh air and keep comfortable for breathing. If not breathing give artificial respiration. DO NOT use mouth to mouth resuscitation without proper protection

P305+P351: IF IN EYES rinse cautiously with water

for at least 15 minutes

P306+P361: IF ON CLOTHING, Take off contaminated

clothing

P376: Stop leaks if safe to do so

STORAGE STATEMENTS: P403 + P233: Store in a well-ventilated place, Keep

container tightly closed when not in use

DISPOSAL STATEMENTS: P501: Dispose of content and/ container in

accordance with local, regional, national regulations

### **Section 3 - Composition / Information on Ingredients**

Chemical Names	CAS #.	Concentration%	Other Identifiers
Surfactant Blend	68131-40-8	>1% <45%	None
Ethylene Glycol Monobutyl Ether	111-76-2	<1%	2-butoxyethanol
Water	7732-18-5	40%-60%	H20

### **Section 4 - First Aid Measures**

**Eye:** Contact with the eyes can cause irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Skin:** Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and/or dermatitis.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

**Ingestion:** Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema and even death.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

**Inhalation:** Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Excessive overexposure can cause central nervous system depression, loss of consciousness, liver damage and death resulting from respiratory failure.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

After first aid, get appropriate paramedic, or community medical support.

**Note to Physicians:** The severity of outcome following ingestion may be more related to the time between ingestion and treatment, rather than the amount ingested. Therefore, there is a need for rapid treatment of any ingestion exposure.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

## **Section 5 - Fire-Fighting Measures**

Flammable Properties: Not flammable

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical powder or appropriate foam. Use water to keep non-leaking, fire-exposed containers cool.

**Precautions for Firefighters:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Substance is noncombustible. Contact with metals may evolve flammable hydrogen gas.

#### **Section 6 - Accidental Release Measures**

**Personal Precautions:** Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Increase ventilation to area or move container to a well-ventilated and secure area. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Before entry, especially into confined areas, check atmosphere with an appropriate monitor.

#### **Methods for Containment and Clean-up**

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating vapor conditions. Cover with sand, dry lime or soda ash and place in a closed container for disposal. Provide ventilation. Evacuate unnecessary personnel.

Other Information: Report spills to local health, safety and environmental authorities, as required.

## **Section 7 - Handling and Storage**

#### **Handling Precautions**

**Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not breathe dust minimize dust generation and accumulation. Do not get in eyes, on skin, or on clothing

**Storage:** Store in a cool, dry, well-ventilated area, out of direct sunlight. Keep quantities stored as small as possible. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

# **Section 8 - Exposure Controls / Personal Protection**

Chemical Names	ACGIH- TLV	OSHA - PEL
Ethylene Glycol Monobutyl Ether	25 ppm	*50 ppm
Surfactant Blend	Not Established	Not Established

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour work week which shall not be exceeded."

C Means Ceiling Limit

\*Listed on the OSHA Z1 Table

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

#### Personal protective equipment

Respiratory Protection

MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for Given extreme working conditions, level of airborne contamination, and presence of sufficient oxygen. Respirator is needed only in areas with no air ventilation. Example would be working in a sealed tank.

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the ANSI/ISEA 105-2011

Full contact: Nitrile rubber Splash contact: Nitrile rubber

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH.

Skin and body protection Impervious clothing

#### **Protective Clothing Pictograms**









## **Section 9 - Physical and Chemical Properties**

Physical State: Liquid Appearance: Purple

Odor: Neutral

Vapor Pressure: No information found Vapor Density (Air=1): No information found Molecular Weight: No information found Specific Gravity (H<sub>2</sub>O=1, at @60°F 4 °C): 1.0

pH: None

Water Solubility: Complete Boiling Point: Not applicable

Freezing/Melting Point: Not applicable

Viscosity: Not available Flash Point: 212 °F (100°C)

Auto ignition Temperature: Not applicable

**LEL:** Not applicable **UEL:** Not applicable

## Section 10 - Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

**Polymerization:** Hazardous polymerization has not been reported.

Chemical Incompatibilities: Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids

Conditions to Avoid: Incompatibles.

Hazardous Decomposition Products: No data available

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

### **Section 11- Toxicological Information**

Product Name	Results	Species	Dose	Exposure
Ethylene Glycol	Oral LC50	Rat	470 mg/kg	Not listed
Monobutyl Ether				
Ethylene Glycol	Dermal LC50	Rat	307 mg/kg	Not listed
Monobutyl Ether				
Ethylene Glycol	Inhalation LC50	Rat	450ppm	4 hours
Monobutyl Ether				
Surfactant Blend	Oral LC50	Rat	Not listed	Not listed
Dimethylcarbinol	Oral LC50	Rat	5045 mg/kg	Not listed

Routes: Inhalation, Ingestion. skin and/or eye contact.

Target Organs: Eyes, skin, mucous membranes

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed

Skin Causes skin irritation

Eyes Causes eye irritation

Teratogenicity/Embryotoxicity: Not harmful the unborn child

Reproductive Toxicity: Not a reproductive hazard

Mutagenicity: Not a mutagen

**Signs and Symptoms of Exposure:** Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce irritation. Inhalation of the spray mist may produce irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Carcinogenicity:

our office golden, and a second golden, and a secon					
Chemical Name	IARC	ACGIH	NTP	OSHA	
Ethylene Glycol Monobutyl Ether	Not listed	Not listed	Not listed	Not listed	
Surfactant Blend	Not listed	Not listed	Not listed	Not listed	

#### **Key to Abbreviations**

IARC = International Agency for Research on Cancer.

ACGIH= American Conference of Governmental Industrial Hygienists

NTP = National Toxicology Program

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

### **Section 12 - Ecological Information**

Product Name	Results	Species	Exposure
Ethylene Glycol	LC50 220 mg/l	Fish	96 hours
Monobutyl Ether			
Ethylene Glycol	EC50 1815 mg/l.	Daphnia	24 hours
Monobutyl Ether	_		
Surfactant Blend	Not listed	Not listed	Not listed

**Toxicity** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Mobility in soil:** No data available for this product

Persistence/degradability: No data available for this product

Bioaccumulation: No data available for this product

PBT and vPvB assessment: No data available for this product.

## **Section 13 - Disposal Considerations**

**Disposal: DO NOT REUSE EMPTY CONTAINER!** Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulation

## **Section 14 - Transport Information**

**US Transport Information** 

Regulatory Information	UN#	Proper Shipping Name	Hazard Class	PG	Label	Additional Information
DOT Classification		Not Regulated				

# **Section 15 - Regulatory Information**

#### **US Regulations:**

**TSCA:** All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

**CERCLA Hazardous Substances and corresponding RQs:** None

SARA Community Right-to-Know Program: None

Clean Water Act: none

Clean Air Act: none

**OSHA:** All ingredients are listed in 1910.1200

**State Regulations** 

California prop. 65: None

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

**Pennsylvania:** All components of this product are on the Pennsylvania Inventory or are exempt from Inventory requirements

### **Section 16 - Other Information**

**Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

**References:** CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

SDS Preparation Date: May 15, 2015